





Electric Drive Unit

GENERAL INFORMATION							
DRIVE MODEL NUMBER	WATER PUMP	HYDRAULIC RESERVOIR		HOSE CONNECTION [IN]			ELECTRIC MOTOR (BHP RANGE)
		GALS	LTRS	RETURN	SUPPLY	CASE DRAIN	HP @ 1800 RPM
800	8"	45	170	1	0.75	0.75	≤35
1200	12"-16"	110	416	1.25	1	0.75	36-70
2000	20"	180	681	1.5	1.25	0.75	76-100
2400	24"	265	1003	1.5	1.5	0.75	101-200
3000	30"-42"	360	1363	2	1.5-2	0.75	201-350

Standard Equipment

1. Oil Reservoir/Heat Exchanger
2. Hydraulic Oil Level Switch Gauge
3. Return Filter
4. Quick Couplers
5. Relief Valve
6. Suction Strainer
7. Hydraulic Pump
8. Coupling
9. Electric Motor
10. Heavy Duty Skid Frame
11. Lifting Eyes
12. Control Panel
- A. Suction Strainer Vacuum Gauge
- B. Hydraulic System Pressure Gauge
- C. Oil Temperature Gauge
- D. Failure Reset
- E. System Loading Valve
13. Electric Motor Starter Panel



DRIVE MODEL NUMBER	PHYSICAL DATA							
	GENERAL DIMENSIONS						DRY WEIGHT (APPROX)	
	A		B		C		lbs.	kg.
	FT	MTS	FT	MTS	FT	MTS		
800	4.00	1.22	6.00	1.83	5.60	1.71	1750	795
1200-2000	4.25	1.30	7.50	2.29	5.60	1.71	2100	950
2400	4.50	1.37	10.00	3.05	5.60	1.71	3000	1360
3000	5.19	1.58	12.50	3.81	6.67	2.03	4100	1860

MOVING WATER INDUSTRIES
INTERNATIONAL HEADQUARTERS